

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT:

Budameru Diversion Channel – Constitution of Technical Committee to study and assess the Discharge of water in Budameru in the reach from Velagaleru regulator to Enikapadu channel and to suggest modalities for carrying out improvements \_ Orders- Issued.

=====

IRRIGATION & C.A.D. (PW. MAJ. IRR.VII) DEPARTMENT

G.O. Rt. No.760 .

Dated:13 10-2008.

Read the following:-

From the Collector & District Magistrate, Krishna D.O. on CC No. 2-9/08,  
Dated: 8-9-08

\*\*\*\*\*

ORDER:

The Collector and District Magistrate, Krishna has stated that there is a need to study all the technical aspects considering the changes occurred due to urbanization of Vijayawada city and surrounding areas for the last 14 years after submission of final report of technical monitoring committee in the year 1993 in order to assess the total quantity of water that is joining the Budameru Course from the intermediate catchment between Velagaleru regulator and Enikepadu U.T., before any works for improvements of the Budameru stream through Vijayawada City are taken up. Further, it is reported that unless the required carrying capacity of Budameru stream is finalized, flooding of low lying areas in Vijayawada city will continue to reoccur and at present, there are no technical studies available to suit the topographical changes and therefore requested the Government to appoint a technical Committee for making a study in this regard. .

2. In view of the above, Government have decided to constitute a Technical Committee with the following members for conducting detailed study to assess the Discharge of water in Budameru in the reach from Velagaleru regulator to Enikapadu U.T. and, finalise the modalities for carrying out Improvements upto Enikapadu U.T.

- |  |             |
|--|-------------|
| i) Engineer-in-Chief (Irrigation),Hyderabad            | -- Chairman |
| ii) Chief Engineer, C.D.O,Hyderabad                    | -- Member   |
| iii) Chief Engineer, Municipal Corporation, Vijayawada | -- Member   |

3. The aboveCommittee shall submit its report along with its recommendations to the Government within a fortnight.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SUTHIRTHA BHATTACHARYA,  
SECRETARY TO GOVERNMENT .

To  
The Collector and District Magistrate, Krishna  
The Engineer-in-Chief, (Irrigation) Hyderabad.  
The Chief Engineer, C.D.O., Hyderabad.  
The Chief Engineer, Municipal Corporation, Vijayawada.  
Copy to: P.S. to Secretary (P), I&CAD Dept.  
SF/SCs.

//FORWARDED::BY ORDER//

SECTIONOFFICER